

Serial No.: 10/064,293  
Attorney Docket No.: P-533

Patent

**Amendment To The Claims**

Please amend the claims as follows:

A12 [c1] (original) A method for selecting an external processor as a user interface to a machine comprising:

accessing control grid position information for the machine;

obtaining position information for the external processor; and

using the control grid position information and the external processor position information in determining whether an external processor is in the control grid of a machine.

[c2] (original) The method of claim 1 wherein:

the determination of whether an external processor is in the control grid is used to make a control transfer decision.

[c3] (original) The method of claim 1 further comprising:

obtaining authentication information for an external processor.

[c4] (original) The method of claim 3 wherein:

the determination of whether an external processor is in the control grid and the authentication information is used to make a control transfer decision.

[c5] (original) The method of claim 4 wherein:

the authentication information is obtained from a user of the external processor.

[c6] (original) The method of claim 4 wherein:

the authentication information is obtained from a user of the external processor and includes biometric information.

Serial No.: 10/064,293  
Attorney Docket No.: F-533

Patent

A12  
[c7] (original) The method of claim 1 further comprising:

accessing control grid position information for a second machine;  
obtaining position information for a second external processor; and  
using the control grid position information and the external processor position information in determining whether to give priority of control to the external processor or the second external processor.

[c8] (original) The method of claim 7 further comprising:

obtaining hierarchal priority information for the external processor and the second external processor; and  
using the hierarchal priority information in determining whether to give priority of control to the external processor or the second external processor.

[c9] (currently amended) The method of claim 1 further comprising:

downloading user interface logic data to the external processor. [[:]]

~~The method of claim 9 further comprising:~~

~~obtaining a second grid information for a group of machines including the machine; and~~

~~downloading user interface logic data to the external processor when the external processor enters the second grid.~~

[c10] (original) The method of claim 1 further comprising:

obtaining updated position information for the external processor; and  
using the updated position information in determining whether to maintain external processor control of the machine.

[c11] (original) A method for manipulating a file comprising:

Serial No.: 10/064,293  
Attorney Docket No.: F-533

Patent

A12 selecting a file with a portable processor using a wireless communications channel; and

selecting a machine to process the file using position information relating to the portable processor.

[c12] (original) The method of claim 11, further comprising:  
downloading the file to the portable processor.

[c13] (original) The method of claim 11 further comprising:  
selecting a second machine to process at least a portion of the file using position information relating to the portable processor.

[c14] (original) The method of claim 11 further comprising:  
selecting a first machine to process a portion of the file using position information relating to the portable processor; and  
selecting a second machine to process a second portion of the file using position information relating to the portable processor.

[c15] (original) A system for selecting an external processor as a user interface to a machine comprising:  
means for determining control grid position information for the machine;  
means for obtaining position information for the external processor; and  
processing means for using the control grid position information and the external processor position information in determining whether an external processor is in the control grid of a machine.

[c16] (currently amended) ~~The system of claim 16 wherein the means for obtaining position information comprises an indoor electromagnetic wave positioning system~~

Serial No.: 10/064,293  
Attorney Docket No.: F-533

Patent

~~The system of claim 16 wherein the means for obtaining position information comprises an ultrasonic positioning system~~

A system for selecting an external processor as a user interface to a machine comprising:

a processor;

a control grid position map data base information for at least one machine connected to the processor;

a position information receiver for obtaining position information data for an external processor; and

a processor having processing instructions for using the control grid position map database and the external processor position information in determining whether an external processor is in the control grid of a machine.

[c17] (currently amended) The system of claim 16 ~~19~~ wherein:

the receiver for obtaining position information is an indoor positioning system receiver.

[c18] (currently amended) The system of claim 17 ~~20~~ wherein:

the indoor positioning system provides relative position data relative to a reference point.

[c19] (currently amended) The system of claim 17 ~~20~~ wherein:

the indoor positioning system provides absolute latitude and longitude data.

20. (new) The method of claim 9 further comprising:

obtaining a second grid information for a group of machines including the machine; and

downloading user interface logic data to the external processor when the external processor enters the second grid.

Serial No.: 10/064,293  
Attorney Docket No.: F-533

Patent

- A13
21. (new) The system of claim 15 wherein the means for obtaining position information comprises an indoor electromagnetic wave positioning system.
22. (new) The system of claim 15 wherein the means for obtaining position information comprises an ultrasonic positioning system.
-